

## 28214.7 PVC-VRT-RH 82X142 WH

---

Device and installation marker, Length: 142 mm, Width: 82 mm, Colour: White

RAL: 9010

### Business data

---

Article number	<u>28214.7</u>
Article name	PVC-VRT-RH 82X142 WH
GTIN (EAN)	4044211215187
Colour	White
Packaging unit	25
Quantity unit	PC
Number of markers per card	1 ST
Weight per piece (not including packaging)	13 g
Weight per piece (including packaging)	13.52 g
Unit of weight	G
Customs number	39204910
Country of origin	IT
Product description	Device and installation marker

---

### Technical data

---

#### Dimensions

Length	142 mm
Width	82 mm
Diameter of mounting hole	4 mm
Thickness	0.9 mm

#### Materials

Marker material	PVC
Flammability class UL 94	V-0
Working temperature, min.	-30 °C
Working temperature, max.	60 °C
Processing temperature, min.	10 °C
Processing temperature, max.	40 °C
Silicone-free	✓

#### Further technical data

Software code	836
Number of bore holes	4 ST

#### Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2022-06-10
REACH Candidate Substance Note	No
RoHS Conform	yes

### Media

---

## 28214.7 PVC-VRT-RH 82X142 WH

### Accessories

#### Printer



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28000.0</u>	TTPCard Set	4044211207397	1 ST

#### Inlays

Printer inlay

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28041.0</u>	CCI-PC/PVC/PVCF	4044211208097	1 ST